



Model	NIX30-1	NIX30-2
Picture		
Device Type	Lamp	Lamp
Article number	101077	101078
Rated voltage	230 V, 50/60 Hz	230 V, 50/60 Hz
Rated power	35 W	65 W
Dimensions (L x W x H)	970 x 40 x 90 mm	1140 x 160 x 135 mm
Ozone production (185 nm)	Optional	Optional
UV-C power (254 nm)	10 W	20 W
Air flow	No fan	No fan
Protection class	IP 44	IP 44
Volume	Almost noiseless	Almost noiseless
Application duration	Depending on application	Depending on application
People in the room	No	At 4 m distance from the device
Disinfection of surfaces	Yes	Upper airspace
Disinfection of air	Yes	Yes
Odor neutralization	No	No
Weight	1,6 kg	3 kg
Recommended temperature range	15 to 30 °C	15 to 30 °C
Material	Powder coated aluminum	Powder coated aluminum
Color	Black	Black / white
Guarantee (not on tubes)	12 months	12 months
Connection	Power plug	Power plug
Assembly	Ceiling mount	Ceiling mount
Recommended room size	For mold 25 m <sup>2</sup> → 8 h For bacteria / viruses 16 m <sup>2</sup> → 2 h 64 m <sup>2</sup> → 4 h 144 m <sup>2</sup> → 8 h	For mold 50 m <sup>2</sup> → 8 h For bacteria / viruses 32 m <sup>2</sup> → 2 h 128 m <sup>2</sup> → 4 h 288 m <sup>2</sup> → 8 h
Operating hours tubes	8.000 h	8.000 h
Irradiation power	Distance 1 m: 0,21 mW/cm <sup>2</sup> Distance 5 cm: 58,8 mW/cm <sup>2</sup>	Distance 1 m: 0,42 mW/cm <sup>2</sup> Distance 5 cm: 116 mW/cm <sup>2</sup>
Number of lamps	1 x 30 W	2 x 30 W

Model	NIX30-1	NIX30-2
Picture		
Replacement lamp	30W-894 T8 Article No. 101034	30W-894 T8 Article No. 101034
Scope of delivery	<ul style="list-style-type: none"> <li>UV-lamp NIX30-1</li> <li>1 x UV-C tube</li> <li>Instruction manual</li> </ul>	<ul style="list-style-type: none"> <li>UV-lamp NIX30-2</li> <li>2 x UV-C tubes</li> <li>Instruction manual</li> </ul>
Manufacturer	Dinies Technologies GmbH	Dinies Technologies GmbH
Country of origin	Made in Germany	Made in Germany